



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/667,117	09/17/2003	John Chris Karamanos	KARAM-001	8522
29141	7590	01/26/2005	EXAMINER	
SAWYER LAW GROUP LLP P O BOX 51418 PALO ALTO, CA 94303			STERLING, AMY JO	
			ART UNIT	PAPER NUMBER
			3632	

DATE MAILED: 01/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/667,117

Applicant(s)

KARAMANOS, JOHN CHRIS

Examiner

Amy J. Sterling

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 November 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 22-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 22-26, 28-32, 37 and 38 is/are rejected.
- 7) ☒ Claim(s) 27 and 33-36 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 November 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

This is the **Final Office Action** for application number 10/667,17 Universal Bracket for Transporting an Assembled Conduit, filed 9/17/03. Claims 22-38 are pending. Claims 1-21 have been cancelled. This **Final Office Action** is in response to applicant's reply dated 11/15/04. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action.

Claim Rejections - 35 USC § 102

Claims 22-26, 28-32, 37 and 38 are rejected under 35 U.S.C. 102(b) as being anticipated by United States Patent No. 6142405 to Black.

Black discloses a mounting device including a generally rectangular flat body (10) having an outside edge, a front and a back, a first generally circular support guide (52) which could be used for supporting a first pipe if so desired and permitting movement of the pipe in perpendicular to a plane formed by the flat body and preventing movement in a direction parallel to the plane of the flat body (10). The support guide provide movement and prevent movement as described depending on the size of the designated pipe used. Black also teaches that the support guide (52) positioned proximate to and within the boundary of the outside edge, the first support guide having a substantially complete enclosure, a handle (62) formed within the boundary of and proximate to the outside edge of the body for lifting the mounting

Art Unit: 3632

bracket and a base (20) coupled to and extending outwardly from the outside edge of the body, a first and second generally rectangular flat panel (24) of the base, extending towards the front of the body and towards the back of the body, the first and second body adjacent to each other. Black also teaches a second support guide (42) proximate to an opposite edge which is proximate to the first support guide, the second support guide being within the boundary of the outside edge and being a substantially complete enclosure.

Black also discloses the method of securing the bracket (10) by the handle and moving the bracket by the handle and attaching the base to a platform. The base (20) may be attached to a workbench or table by setting the device on the platform.

Response to Arguments

Applicant's arguments with respect to claims 1-21 have been considered but are moot in view of the new ground(s) of rejection.

Allowable Subject Matter


Claims 27 and 33-36 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The reason is that device does not show a grommet having a complete enclosure mounted within each of the support guides.


Conclusion

THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action. Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 703-308-3271. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Leslie Braun can be reached at 703-308-2156. The fax machine number for the Technology center is 703-872-9306 (formal amendments) or 703-308-3519 (informal amendments/communications). Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 703-308-2168.



AJS
Amy J. Sterling
1/16/05



RAMON O. RAMIREZ
PRIMARY EXAMINER